

HERO® 200H HRV

HERO Fresh air appliances

HRV for balanced ventilation in single- and multifamily homes

The HERO residential HRVs (heat recovery ventilators) improve indoor air quality (IAQ) and help lower the project's HERS score.

- · Heat Recovery Ventilator (HRV)
- · Airflows up to 252 cfm at 0.4" w.g.
- 5" duct connection (HERO 120H)
- . 6" duct connection (all other models)
- · Rubberized duct gaskets on metal collars
- · Optional MERV8 and MERV13 filters
- · Integrated balancing taps for commissioning
- Energy-efficient counterflow core with SRE up to 82% (0C/32F)
- · Front access for fast and easy maintenance
- Improves the home's HERS score towards a NetZero status and lowers energy costs
- · Certifications: CSA, HVI, ENERGY STAR
- Limited warranty (lifetime on core, 7 years on motors, 5 years on parts)

Find more details in our online catalogue

Energy Efficiency

Recovers up to 82% of the energy from the extracted air and uses it to temper the incoming fresh air, optimizing the energy required to pre-cool or pre-heat the fresh outside air.

Easy Installation & Maintenance

HERO® appliances include rubberized duct seals and easy-connect ports for simple set-up. Unobstructed front access allows for quick cleaning and easy maintenance.

Improved Indoor Air Quality

HERO® appliances supply fresh, tempered air into indoor spaces while removing excess moisture, ensuring a healthy, comfortable living environment.

ENERGY STAR® Certified

These appliances have been designed to meet the latest and most stringent ENERGY STAR® requirements, making them even more dependable, efficient, and simple to install.

Certifications



Energy Star



CSA Mark



HVI Certified

Item #: #99402 Operating Mode: MERV 3 (default)

In the Box

This appliance comes with a wall mount, an external electrical box with easy-connect ports, integrated in-door manometer ports, and duct ports with plastic collar shrouds with integrated backdraft for simple, fast installation.